

Nikolas Wachlarowicz

From: al@waterpowerwest.com
Sent: Tuesday, October 28, 2014 10:08 AM
To: n.wach@powergenenterprises.com
Subject: [FWD: komatsu engine]

From a Komatsu 700 series back-hoe. 14.2 liter mechanical engine.

Price \$4,500.00

----- Original Message -----

Subject: komatsu engine

From: Randy Steen <rsteen@manitoulintransport.com>

Date: Thu, October 16, 2014 6:29 am

To: al@waterpowerwest.com



IMPORTANT ENGINE INFORMATION
 THIS ENGINE CONFORMS TO 1996 MODEL YEAR U.S. EPA REGULATIONS AND THE CALIFORNIA REGULATIONS LARGE NONROAD COMPRESSION IGNITION ENGINES. THIS ENGINE IS CERTIFIED TO OPERATE ON DIESEL FUEL.

WARNING
 INJURY MAY RESULT AND WARRANTY IS VOIDED IF FUEL RATE, RPM OR ALTITUDES EXCEED PUBLISHED MAXIMUM VALUES FOR THIS MODEL AND APPLICATION.

| | | | |
|---------------------------------|-------------------|-----------------------|---------------|
| ENGINE MODEL | SAA6D140E-2 | SERIAL NO. | 26347 |
| ENGINE FAMILY | WKLXL15.2FD1 | DISPLACEMENT | 15.240 LITERS |
| EXHAUST EMISSION CONTROL SYSTEM | EM, DI | FIRING ORDER | 1-5-3-6-2-4 |
| ADV. LOAD OUTPUT | 353 (473) | HP | 1800 rpm |
| VALVE LASH COLD (mm) | IN. 0.43 EX. 0.80 | FUEL RATE AT 1500 | 269 mm/STROKE |
| IDLE SPEED | 825+25 25 rpm | FAMILY EMISSION LIMIT | |
| INITIAL INJECTION TIMING | 19 | DATE OF MANUFACTURE | 199811 |
| | | KOMATSU LTD. | KOMATSU |

IMPORTANT ENGINE INFORMATION
 THIS ENGINE CONFORMS TO 1996 MODEL YEAR U.S. EPA REGULATIONS AND THE CALIFORNIA REGULATIONS LARGE NONROAD COMPRESSION IGNITION ENGINES. THIS ENGINE IS CERTIFIED TO OPERATE ON DIESEL FUEL.

WARNING
 INJURY MAY RESULT AND WARRANTY IS VOIDED IF FUEL RATE, RPM OR ALTITUDES EXCEED PUBLISHED MAXIMUM VALUES FOR THIS MODEL AND APPLICATION.

| | | | |
|---------------------------------|-------------------|-----------------------|--------------|
| ENGINE MODEL | SAA6D140E-2 | SERIAL NO. | 26347 |
| ENGINE FAMILY | WKLXL15.2FD1 | DISPLACEMENT | 15.240 LIT |
| EXHAUST EMISSION CONTROL SYSTEM | EM, DI | FIRING ORDER | 1-5-3-6-2-4 |
| ADV. LOAD OUTPUT | 353 (473) | HP | 1800 rpm |
| VALVE LASH COLD (mm) | IN. 0.43 EX. 0.80 | FUEL RATE AT 1500 | 269 mm/STROK |
| IDLE SPEED | 825+25 25 rpm | FAMILY EMISSION LIMIT | |
| INITIAL INJECTION TIMING | 19 | DATE OF MANUFACTURE | 199811 |
| | | KOMATSU LTD. | KOMATSU |