

ATTENTION!
A/E AUTO MODE
INDICATOR VV's
CLOSE

Achtung!
Säkompression
nicht zu
Indizieren sein

MAK
Krupp AG Maschinenfabrik Essen



VEM Antriebstechnik AG
Elektromotorenwerk Dessau
Made in Germany



Typ	S 500 S8	GL
3~ const. volt. ge	Nr. 3093 00083	
450 V	1/12	A 60 Hz
1105 KVA	3500	min ⁻¹
	cos φ	
	V	A
WKL	F IP 23	3500 kg
	45 °C	IM B2
E 3	radio-enclosed	
	thermal wind	

DIN VDE 0530 T 1/1991

VEM Antriebstechnik AG
Elektromotorenwerk Dessau
Made in Germany



Typ	S 500 S8	GL
3~ const. volt. ge	Nr. 3093 00083	
450 V	1/12	A 60 Hz
1105 KVA	3500	min ⁻¹
	cos φ	
	V	A
WKL	F IP 23	3500 kg
	45 °C	IM B2
E 3	radio-enclosed	
	thermal wind	

DIN VDE 0530 T 1/1991

39570253

1102 511501 01

W. WOODWARD
TYPE UG-8

PART NO
9328-423

GOVERNOR SPEED

925-1425

CUSTOMER'S NO

SLOW FAST

9
8
7
6
5
4
3
2

SPEED SETTING
REGLAGE DE VITESSE
DREHZAHLEINS TELLUNG
ADJUSTE DE VELOCIDAD

3
2
1
0
10

LOAD LIMIT
LIMITE DE CHARGE
LASTBEGRENZUNG
LIMITE DE CARGA

5
15
0
20

SPEED SETTING INDICATOR
INDICATEUR VITESSE AFFICHEE
SOLLWERTANZEIGER
INDICADOR DE VELOCIDAD

MAX
MIN
COMPENSATION

MAK

Krupp MaK Maschinenbau GmbH

Motor-Typ	6 M 20		
Motor-Nr.	30012	Baujahr	19 93
Leistung n. DIN 6271	kW	930	
Drehzahl	1/min	900	
Leistung am Aufstellort	kW		

82617k

4.8.93



WATER

MAX. PRESSURE

1.200/120



39570263 X
1102 511501 01

W. WOODWARD
TYPE UG-8

PART NO.

825-1425

SERIAL NO.

8100000

GOVERNOR SPEED

825-1425

CUSTOMER'S NO.



SPEED SETTING
REGLAGE DE VITESSE
DREHZAHLEINS TELLUNG
ADJUSTE DE VELOCIDAD





ATTENTION
AS AUTO MODE
INDICATOR IS ON
CLOSE



39570253

1102 511501 01



WOODWARD
TYPE UG-B

GOVERNOR SPEED CONTROL
CONTROLLER NO.

Three rotary dials for speed control. The top dial is labeled 'FULL' and 'STOP'. The middle dial is labeled 'SPEED SETTING' and 'PERCENTAGE OF FULL SPEED'. The bottom dial is labeled 'SPEED SETTING' and 'PERCENTAGE OF FULL SPEED'. A vertical scale on the right side of the dials is labeled 'PERCENTAGE OF FULL SPEED' and ranges from 0 to 20.

LOAD LIMIT
Before starting engine
please turn speeder knob
from 0 to 10 (max) After
you have done linkage
connecting to fuel pump

SPEED SETTING INDICATOR
WHEELS OFFICE
OF RECORDS

30572-72

1 188-111-00-02GGG50



! Achtung !
Dekompressionsventile
nicht zum
Indizieren benutzen !

air cooler